



NOTES:

*Because of our ongoing commitment to quality and innovation, we reserve the right, at any time, to discontinue or change specifications, designs, features, models, or equipment without incurring obligation.

**Not all tracks can be installed on all sleds without modification. The listings in the application chart fit OEM suspension, track width, length, and drive pitch only. To determine if an optional track is compatible with a particular snowmobile, you must check the bulkhead, tunnel, heat exchanger, and suspension wheel positioning for proper clearance.

***See your dealer for installation procedures.

Snowmobile Make & Model	Year(s)	Width in.	Length in.	Pitch in.	Application Notes	Replacement
Arctic Cat						
4-Stroke Touring	02-03	15	136	2.52		
4-Stroke Trail (single seater)	02-03	15	121	2.52		
Bearcat 340	95-00	15	136	2.52		
Bearcat 440	96-98	16	156	2.52		
Bearcat 440-I	99-00	15	136	2.52		
Bearcat 440-II	99-00	16	156	2.52		
Bearcat 550	95	16	156	2.52		
Bearcat 570	09	15	144	2.52		
Bearcat 570 XT	09	20	156	2.52		
Bearcat 570	04-08	16	156	2.52		
Bearcat WT (all)	97-08	20	156	2.52		
Bearcat WT	96	16	156	2.52		
Bearcat Z1 XT	09	20	156	2.52		
Cheetah 340	94	15	131	2.52		
Cheetah 440 & 550	93-94	16	156	2.52		
Cheetah Touring	90-92	16	156	2.52		
Cougar	90-98	15	121	2.52		
Cougar Mountain Cat	94-98	15	136	2.52		
Cougar Two-Up	96	15	136	2.52		
Cougar Two-Up	92	15	121	2.52		
Crossfire (all except Crossfire R)	09	15	141	3.0	09 Cobra	
Crossfire (all including Sno Pro)	07-08	15	136	2.52	# 9108C, 9113C & 9073C ONLY	
Crossfire	06	15	136	2.52		
Crossfire R (all including LE)	09	14	128	2.52	15 X 128 track can be used; see notes on 07-09 F series below	
El Tigre EXT	89-91	15	121	2.52		
El Tigre EXT Mountain Cat	91	15	136	2.52		
EXT 550, 580, EFI, Deluxe & 600 Triple	92-98	15	121	2.52		
EXT Special	91-92	15	121	2.52		
EXT Mountain Cat	92-98	15	136	2.52	95 deep lug option	
EXT Powder Special - see Powder Special						
EXT Triple Touring - see Triple Touring						
F series (all except 120)	07-09	15	128	2.52	# 9037H, 9040H, 9045C, 9072C, 9078H, 9081H, 9110H; rear axle mod required.	
Firecat F5, F6 & F7 (all including Sno Pro)	05-06	13.5	128	2.52	rear axle modification required	
Firecat F5, F6 & F7 (all including Sno Pro)	03-04	13.5	128	2.52		
Firecat F6 EXT & F7 EXT (all inc. Sno Pro)	04-05	13.5	144	2.52	no track available	NA
Jag (inc. Deluxe)	92-99	15	121	2.52		
Jag & Jag AFS (inc. Deluxe)	90-91	15	116	2.52	no track available	NA
Jag AFS Long Track (also see Super Jag)	91 & 93	15	151	2.52		
Jag Mountain Cat	91	15	131	2.52	no track available	NA
Jag Special & Jag Z	92-95	15	121	2.52		
Jag Special	91	15	116	2.52	no track available	NA



Snowmobile Make & Model	Year(s)	Width	Length	Pitch	Application Notes	Replacement
Arctic Cat		in.	in.	in.		
Jaguar Z1 (4-stroke)	08	15	128	2.52	rear axle modification required	
Jaguar Z1 (4-stroke)	07	15	121	2.52		



Snowmobile Make & Model	Year(s)	Width	Length	Pitch	Application Notes	Replacement
Arctic Cat		in.	in.	in.		
Jaguar Z1 (4-stroke)	06	15	121	2.52	limited pre-production model	
King Cat	04	15	162	2.52		
King Cat	05-06	15	162	3.0		
Lynx (inc. Deluxe)	91-93	15	116	2.52	no track available	NA
Lynx Mountain Cat	92-93	15	131	2.52		
M 5	05-06	15	141	3.0		
M 6 / 141	07	15	141	3.0	no track available	NA
M 6 / 141	05-06	15	141	3.0	06 Challenger Extreme	
M 6 / 153	07-09	15	153	3.0	no track available	NA
M 6 / 153	05-06	15	153	3.0	06 Challenger Extreme	
M 7 / 141	05-06	15	141	3.0	06 Challenger Extreme	
M 7 / 153 (all including Limited)	05-06	15	153	3.0	06 Challenger Extreme	
M 7 / 162 (all including Limited)	05-06	15	162	3.0	06 Challenger Extreme	
M 8 / 141	07	15	141	3.0	no track available	NA
M 8 / 153 (all including Sno Pro)	07-09	15	153	3.0	no track available	NA
M 8 / 162	07-09	15	162	3.0	no track available	NA
M 1000 / 153 (all including Sno Pro)	07-09	15	153	3.0	no track available	NA
M 1000 / 162 (all including Sno Pro)	07-09	15	162	3.0	no track available	NA
Mountain Cat 500	01-02	15	136	2.52		
Mountain Cat 570	02-04	15	136	2.52		
Mountain Cat 600 / 136 (inc. EFI)	01-03	15	136	2.52		
Mountain Cat 600 / 144 (inc. EFI)	02-04	15	144	2.52		
Mountain Cat 800 / 144 (inc. EFI)	01-03	15	144	2.52		
Mountain Cat 800 / 151 (inc. EFI & LE)	02-04	15	151	2.52		
Mountain Cat 800 / 159 (inc. EFI)	04	15	159	2.52		
Mountain Cat 900 / 144	03	15	144	2.52		
Mountain Cat 900 / 151 (inc. EFI)	03-04	15	151	2.52		
Mountain Cat 900 / 159 (inc. EFI)	04	15	159	2.52		
Pantera (all)	92-05	15	136	2.52		
Pantera	90-91	15	121	2.52		
Panther (all except Panther Trail)	92-08	15	136	2.52		
Panther (inc. Deluxe)	90-91	16	121	2.52		
Panther Mountain Cat	90-91	16	136	2.52		
Panther Trail (single seater)	07	15	121	2.52		
Powder Extreme	97-99	15	136	2.52		
Powder Special	95-00	15	136	2.52		
Prowler	90-94	15	121	2.52		
Prowler Mountain Cat	91	15	136	2.52		
Prowler Special & Prowler Z	91-93	15	121	2.52		
Prowler 2-Up	92-95	15	136	2.52		
Puma (inc. Deluxe)	94-98	15	121	2.52		
Puma Two-Up	95-98	15	136	2.52		
Sabercat (all except Sabercat EXT)	05-06	13.5	128	2.52	rear axle modification required	
Sabercat (all except Sabercat EXT)	04	13.5	128	2.52		
Sabercat EXT (all)	04-06	13.5	144	2.52	no track available	NA
Super Jag	90-92	16	156	2.52	no track available	NA
T 500 & T 570	08-09	15	144	2.52		
T Z1 & T Z1 Turbo (4-stroke, all)	08-09	15	144	2.52		
T660 Bearcat - see Bearcat WT						
T660 Trail (inc. Turbo Trail & Turbo ST)	04-07	15	121	2.52		
T660 Touring (inc. Turbo Touring & TT LE)	04-07	15	136	2.52		



Snowmobile Make & Model	Year(s)	Width	Length	Pitch	Application Notes	Replacement
Arctic Cat		in.	in.	in.		
Thundercat	93-02	15	121	2.52		
Thundercat Mountain Cat	94-00	15	136	2.52		
Triple Touring	98-01	15	136	2.52		
Wildcat (inc. Wildcat EFI)	90-96	15	121	2.52		
Wildcat EFI Touring	95-96	15	136	2.52		
Wildcat Mountain Cat (all)	91-96	15	136	2.52		
Yellowstone Special - see 4-Stroke above						
Z (all except 120)	95-07	15	121	2.52		
Z1 & Z1 Turbo (4-stroke, all including LXR's)	09	15	128	2.52	# 9037H, 9040H, 9045C, 9072C, 9078H, 9081H, 9110H; rear axle mod required.	
ZL (all)	96-03	15	121	2.52		
ZR (all including Sno Pro except 120)	94-06	15	121	2.52		
ZRT (all)	94-02	15	121	2.52		