



NOTES:

*Because of our ongoing commitment to quality and innovation, we reserve the right, at any time, to discontinue or change specifications, designs, features, models, or equipment without incurring obligation.

**Not all tracks can be installed on all sleds without modification. The listings in the application chart fit OEM suspension, track width, length, and drive pitch only. To determine if an optional track is compatible with a particular snowmobile, you must check the bulkhead, tunnel, heat exchanger, and suspension wheel positioning for proper clearance.

***See your dealer for installation procedures.

| Snowmobile Make and Model | Year(s) | Width | Length | Pitch | Application Notes |
|------------------------------------|---------|-------|--------|-------|------------------------|
| Arctic Cat | | | | | |
| 4-Stroke Touring | 02-03 | 15 | 136 | 2.52 | |
| 4-Stroke Trail (single seater) | 02-03 | 15 | 121 | 2.52 | |
| Bearcat 340 | 95-00 | 15 | 136 | 2.52 | |
| Bearcat 440 | 96-98 | 16 | 156 | 2.52 | |
| Bearcat 440-I | 99-00 | 15 | 136 | 2.52 | |
| Bearcat 440-II | 99-00 | 16 | 156 | 2.52 | |
| Bearcat 550 | 95 | 16 | 156 | 2.52 | |
| Bearcat 570 | 10 | 15 | 151 | 2.52 | 10 1.25-inch lug |
| Bearcat 570 | 09 | 15 | 144 | 2.52 | |
| Bearcat 570 XT | 09-10 | 20 | 156 | 2.52 | 10 1.25-inch lug |
| Bearcat 570 | 04-08 | 16 | 156 | 2.52 | |
| Bearcat WT (all) | 97-08 | 20 | 156 | 2.52 | |
| Bearcat WT | 96 | 16 | 156 | 2.52 | |
| Bearcat Z1 XT | 09-10 | 20 | 156 | 2.52 | |
| CFR (800 & 1000) | 10 | 14 | 128 | 2.52 | 10 1.0-inch lug |
| Cheetah 340 | 94 | 15 | 131 | 2.52 | |
| Cheetah 440 & 550 | 93-94 | 16 | 156 | 2.52 | |
| Cheetah Touring | 90-92 | 16 | 156 | 2.52 | |
| Cougar | 89-98 | 15 | 121 | 2.52 | |
| Cougar Mountain Cat | 94-98 | 15 | 136 | 2.52 | |
| Cougar Two-Up | 96 | 15 | 136 | 2.52 | |
| Cougar Two-Up | 92 | 15 | 121 | 2.52 | |
| Crossfire (all except Sno Pro) | 10 | 15 | 141 | 3.0 | 10 Cobra 1.25-inch lug |
| Crossfire 8 Sno Pro | 10 | 15 | 141 | 3.0 | 10 Cobra 1.50-inch lug |
| Crossfire (all except Crossfire R) | 09 | 15 | 141 | 3.0 | 09 Cobra |



| Snowmobile Make and Model | Year(s) | Width | Length | Pitch | Application Notes |
|---|---------|-------|--------|-------|--|
| Crossfire (all including Sno Pro) | 07-08 | 15 | 136 | 2.52 | # 9108C, 9113C & 9073C ONLY |
| Crossfire | 06 | 15 | 136 | 2.52 | |
| Crossfire R (all including LE) | 09 | 14 | 128 | 2.52 | 15 X 128 track can be used; see notes on 07-09 F series below |
| El Tigre EXT | 89-91 | 15 | 121 | 2.52 | |
| El Tigre EXT Mountain Cat | 91 | 15 | 136 | 2.52 | |
| EXT 550, 580, EFI, Deluxe & 600 Triple | 92-98 | 15 | 121 | 2.52 | |
| EXT Special | 91-92 | 15 | 121 | 2.52 | |
| EXT Mountain Cat | 92-98 | 15 | 136 | 2.52 | 95 deep lug option |
| EXT Powder Special - see Powder Special | | | | | |
| EXT Triple Touring - see Triple Touring | | | | | |
| F 5 LXR | 10 | 15 | 128 | 2.52 | 10 1.0-inch lug |
| F 6 Sno Pro | 10 | 15 | 128 | 2.52 | 10 1.25-inch lug |
| F 8 & F 8 LXR | 10 | 15 | 128 | 2.52 | 10 1.0-inch lug |
| F 8 Sno Pro (inc. Limited) | 10 | 15 | 128 | 2.52 | 10 1.25-inch lug |
| F series (all except 120) | 07-09 | 15 | 128 | 2.52 | # 9037H, 9040H, 9045C, 9072C, 9078H, 9081H, 9110H; rear axle mod required. |
| Firecat F5, F6 & F7 (all including Sno Pro) | 05-06 | 13.5 | 128 | 2.52 | rear axle modification required |
| Firecat F5, F6 & F7 (all including Sno Pro) | 03-04 | 13.5 | 128 | 2.52 | |
| Firecat F6 EXT & F7 EXT (all inc. Sno Pro) | 04-05 | 13.5 | 144 | 2.52 | no track available |
| Jag (inc. Deluxe) | 92-99 | 15 | 121 | 2.52 | |
| Jag & Jag AFS (inc. 340 & Deluxe) | 89-91 | 15 | 116 | 2.52 | no track available |
| Jag AFS Long Track (also see Super Jag) | 91 & 93 | 15 | 151 | 2.52 | |
| Jag Mountain Cat | 91 | 15 | 131 | 2.52 | no track available |
| Jag Special & Jag Z | 92-95 | 15 | 121 | 2.52 | |
| Jag Special | 91 | 15 | 116 | 2.52 | no track available |
| Jaguar Z1 (4-stroke) | 08 | 15 | 128 | 2.52 | rear axle modification required |
| Jaguar Z1 (4-stroke) | 07 | 15 | 121 | 2.52 | |
| Jaguar Z1 (4-stroke) | 06 | 15 | 121 | 2.52 | limited pre-production model |
| King Cat | 04 | 15 | 162 | 2.52 | |
| King Cat | 05-06 | 15 | 162 | 3.0 | |
| Lynx (inc. Deluxe) | 91-93 | 15 | 116 | 2.52 | no track available |
| Lynx Mountain Cat | 92-93 | 15 | 131 | 2.52 | |
| M 5 | 05-06 | 15 | 141 | 3.0 | |
| M 6 / 141 | 07 | 15 | 141 | 3.0 | no track available |
| M 6 / 141 | 05-06 | 15 | 141 | 3.0 | 06 Challenger Extreme |
| M 6 / 153 | 07-10 | 15 | 153 | 3.0 | no track available |
| M 6 / 153 | 05-06 | 15 | 153 | 3.0 | 06 Challenger Extreme |
| M 7 / 141 | 05-06 | 15 | 141 | 3.0 | 06 Challenger Extreme |



| Snowmobile Make and Model | Year(s) | Width | Length | Pitch | Application Notes |
|---|---------|-------|--------|-------|---------------------------------|
| M 7 / 153 (all including Limited) | 05-06 | 15 | 153 | 3.0 | 06 Challenger Extreme |
| M 7 / 162 (all including Limited) | 05-06 | 15 | 162 | 3.0 | 06 Challenger Extreme |
| M 8 / 141 | 07 | 15 | 141 | 3.0 | no track available |
| M 8 / 153 (all including Sno Pro & Limited) | 07-10 | 15 | 153 | 3.0 | no track available |
| M 8 / 162 | 07-10 | 15 | 162 | 3.0 | no track available |
| M8 HCR (Hill Climb Racer) | 10 | 15 | 153 | 3.0 | no track available |
| M 1000 / 153 (all including Sno Pro) | 07-09 | 15 | 153 | 3.0 | no track available |
| M 1000 / 162 (all including Sno Pro) | 07-10 | 15 | 162 | 3.0 | no track available |
| Mountain Cat 500 | 01-02 | 15 | 136 | 2.52 | |
| Mountain Cat 570 | 02-04 | 15 | 136 | 2.52 | |
| Mountain Cat 600 / 136 (inc. EFI) | 01-03 | 15 | 136 | 2.52 | |
| Mountain Cat 600 / 144 (inc. EFI) | 02-04 | 15 | 144 | 2.52 | |
| Mountain Cat 800 / 144 (inc. EFI) | 01-03 | 15 | 144 | 2.52 | |
| Mountain Cat 800 / 151 (inc. EFI & LE) | 02-04 | 15 | 151 | 2.52 | |
| Mountain Cat 800 / 159 (inc. EFI) | 04 | 15 | 159 | 2.52 | |
| Mountain Cat 900 / 144 | 03 | 15 | 144 | 2.52 | |
| Mountain Cat 900 / 151 (inc. EFI) | 03-04 | 15 | 151 | 2.52 | |
| Mountain Cat 900 / 159 (inc. EFI) | 04 | 15 | 159 | 2.52 | |
| Pantera (all) | 92-05 | 15 | 136 | 2.52 | |
| Pantera | 90-91 | 15 | 121 | 2.52 | |
| Pantera | 89 | 16 | 121 | 2.52 | |
| Panther (all except Panther Trail) | 92-08 | 15 | 136 | 2.52 | |
| Panther (inc. Deluxe) | 89-91 | 16 | 121 | 2.52 | |
| Panther Mountain Cat | 90-91 | 16 | 136 | 2.52 | |
| Panther Trail (single seater) | 07 | 15 | 121 | 2.52 | |
| Powder Extreme | 97-99 | 15 | 136 | 2.52 | |
| Powder Special | 95-00 | 15 | 136 | 2.52 | |
| Prowler | 90-94 | 15 | 121 | 2.52 | |
| Prowler Mountain Cat | 91 | 15 | 136 | 2.52 | |
| Prowler Special & Prowler Z | 91-93 | 15 | 121 | 2.52 | |
| Prowler 2-Up | 92-95 | 15 | 136 | 2.52 | |
| Puma (inc. Deluxe) | 94-98 | 15 | 121 | 2.52 | |
| Puma Two-Up | 95-98 | 15 | 136 | 2.52 | |
| Sabercat (all except Sabercat EXT) | 05-06 | 13.5 | 128 | 2.52 | rear axle modification required |
| Sabercat (all except Sabercat EXT) | 04 | 13.5 | 128 | 2.52 | |
| Sabercat EXT (all) | 04-06 | 13.5 | 144 | 2.52 | no track available |
| Sno Pro 500 (racer replica) | 10 | 15 | 128 | 2.52 | 1.25-inch lug |



| Snowmobile Make and Model | Year(s) | Width | Length | Pitch | Application Notes |
|--|---------|-------|--------|-------|--|
| Super Jag | 89-92 | 16 | 156 | 2.52 | no track available |
| T 500 & T 570 | 08-10 | 15 | 144 | 2.52 | |
| TZ1 & TZ1 LXR | 10 | 15 | 144 | 2.52 | 1.0-inch lug |
| TZ1 Turbo LXR (inc. Limited) | 10 | 15 | 144 | 2.52 | 1.25-inch lug |
| T Z1 & T Z1 Turbo (4-stroke, all) | 08-09 | 15 | 144 | 2.52 | |
| T660 Bearcat - see Bearcat WT | | | | | |
| T660 Trail (inc. Turbo Trail & Turbo ST) | 04-07 | 15 | 121 | 2.52 | |
| T660 Touring (inc. Turbo Touring & TT LE) | 04-07 | 15 | 136 | 2.52 | |
| Thundercat | 93-02 | 15 | 121 | 2.52 | |
| Thundercat Mountain Cat | 94-00 | 15 | 136 | 2.52 | |
| Triple Touring | 98-01 | 15 | 136 | 2.52 | |
| Wildcat (inc. Wildcat EFI) | 89-96 | 15 | 121 | 2.52 | |
| Wildcat EFI Touring | 95-96 | 15 | 136 | 2.52 | |
| Wildcat Mountain Cat (all) | 91-96 | 15 | 136 | 2.52 | |
| Yellowstone Special - see 4-Stroke above | | | | | |
| Z (all except 120) | 95-07 | 15 | 121 | 2.52 | |
| Z1 & Z1 Turbo (4-stroke, all except Sno Pro) | 09-10 | 15 | 128 | 2.52 | # 9037H, 9040H, 9045C, 9072C, 9078H, 9081H, 9110H; rear axle mod required. |
| Z1 Turbo EXT (inc. Limited) | 10 | 15 | 144 | 2.52 | 10 1.25-inch lug |
| Z1 Turbo LXR | 10 | 15 | 128 | 2.52 | 10 1.25-inch lug |
| Z1 Turbo Sno Pro (inc. Limited) | 09-10 | 15 | 128 | 2.52 | 09 Hacksaw; 10 1.25-inch lug |
| Z1 Turbo Sno Pro LXR | 09-10 | 15 | 128 | 2.52 | 09 Cobra; 10 1.25-inch lug |
| ZL (all) | 96-03 | 15 | 121 | 2.52 | |
| ZR (all including Sno Pro except 120) | 94-06 | 15 | 121 | 2.52 | |
| ZRT (all) | 94-02 | 15 | 121 | 2.52 | |