



NOTES:

*Because of our ongoing commitment to quality and innovation, we reserve the right, at any time, to discontinue or change specifications, designs, features, models, or equipment without incurring obligation.

**Not all tracks can be installed on all sleds without modification. The listings in the application chart fit OEM suspension, track width, length, and drive pitch only. To determine if an optional track is compatible with a particular snowmobile, you must check the bulkhead, tunnel, heat exchanger, and suspension wheel positioning for proper clearance.

***See your dealer for installation procedures.

Snowmobile Make and Model	Year(s)	Width	Length	Pitch	Application Notes
Yamaha					
Apex (inc. GT)	08-10	15	121	2.52	08-10 Rip Saw
Apex LTX (inc. GT)	08-10	15	136	2.52	08-10 Rip Saw
Apex MTX (inc. SE)	08-10	16	162	3.00	08-10 Maverick
Apex Mountain (inc. SE)	06-07	16	162	3.00	07 Maverick
Apex RTX (inc. GT & ER)	06-08	15	121	2.52	07-08 Rip Saw
Attak (inc. GT)	06-07	15	136	2.52	07 Rip Saw
Bravo	93 & 97	15	102	2.52	no track available
Bravo	82-92	15	94	4.08	no track available
Bravo LT	87-00	15	136	2.52	
Enticer LTR & Enticer II LT	87-00	15	136	2.52	
Exciter & Exciter II (inc. Deluxe, SX & LE)	88-93	15	121	2.52	
Exciter II ST	93	15	136	2.52	
FX Nytro & Nytro RTX (all inc. SE)	08-10	15	121	2.52	08-10 Rip Saw
FX Nytro MTX	08-09	15	153	3.00	08-09 Maverick
FX Nytro MTX SE 153	10	15	153	3.00	10 Maverick single ply
FX Nytro MTX SE 162	10	15	162	3.00	10 Maverick single ply
FX Nytro XTX	09-10	15	144	2.52	09-10 Rip Saw
Inviter	86-91	15	102	3.29	no track available
Mountain Max (all)	00-04	15	141	2.52	
Mountain Max (all)	97-99	15	136	2.52	
Mountain SRX	98	15	136	2.52	
Nytro (inc. ER)	06-07	15	121	2.52	07 Rip Saw
Ovation (inc. LE)	89-00	15	109	3.29	no track available
Phazer (inc. FX & RTX)	07-10	14	121	2.52	07-10 Rip Saw
Phazer (inc. Deluxe & E)	84-89	15	116	2.52	



Snowmobile Make and Model	Year(s)	Width	Length	Pitch	Application Notes
Phazer GT	07-10	14	121	2.52	07-10 Hack Saw
Phazer MTX	08-10	14	144	2.52	09-10 Maverick
Phazer Mountain Lite	07	14	144	2.52	use # 9044C (shorter lug)
Phazer Mountain Lite	96-01	15	136	2.52	
Phazer II (inc. SS, ST, LE & Deluxe)	90-01	15	121	2.52	
Phazer II ST	91-94	15	136	2.52	
RS Rage (inc. GT)	05-07	15	136	2.52	07 Rip Saw
RS Vector, Vector GT & ER	05-10	15	121	2.52	07-10 Rip Saw
RS Vector LTX (inc. GT)	08-10	15	136	2.52	08-10 Rip Saw
RS Vector Mountain	05-07	15	151	2.52	07 Challenger
RS Vector Mountain SE	06-07	16	162	3.00	07 Maverick
RS Venture (inc. GT)	06-10	15	144	2.52	07-10 Rip Saw
RS Viking Professional - see VK Pro below					
RX-1 (inc. ER & LE)	03-05	15	121	2.52	
RX-1 Mountain	04-05	15	151	2.52	
RX-1 Warrior (inc. LE)	04	15	136	2.52	
SnoScoot	89-91	12	82	2.04	no track available
SnoSport	90-91	12	90	NA	no track available
SR-V	81-91	15	121	2.52	
SRX 600 & 700 (triple / triple)	98-02	15	121	2.52	
SRX Mountain - see Mountain SRX					
SX & SX-R (all)	99-02	15	121	2.52	
SX Venom	04-06	15	121	2.52	
SX Viper	02-04	15	121	2.52	
SX Viper Mountain	03-06	15	144	2.52	
Venom - see SX Venom above					
Venture 500, 600 & 700	97-06	15	136	2.52	
Venture GT	92-93	15	121	2.52	
Venture Lite	07-10	15	144	2.52	07-10 Rip Saw
Venture TR (480)	96-97	15	136	2.52	
Venture XL (500)	99-00	15	136	2.52	
Venture XL (480)	91-97	15	121	2.52	
Venom - see SX Venom above					
Viking - see VK below					
Viper - see SX Viper above					
VK 540 (inc. II & III)	88-05	20	156	2.52	
VK Professional	07-10	20	156	2.52	07-10 Rip Saw



Snowmobile Make and Model	Year(s)	Width	Length	Pitch	Application Notes
Vmax (inc. XT, XTC, XTC Deluxe, LE & SX)	94-00	15	121	2.52	
Vmax DX (all)	97-01	15	121	2.52	
Vmax DX (all)	95-96	15	136	2.52	
Vmax DX (all)	94	15	121	2.52	
Vmax ST (all)	94-95	15	136	2.52	
Vmax Mountain Max	96	15	136	2.52	
Vmax-4	92-97	15	121	2.52	
Vmax-4 Mountain Max & ST	94-97	15	136	2.52	
XL-V	85-90	15	121	2.52	