



**NOTES:**

\*Because of our ongoing commitment to quality and innovation, we reserve the right, at any time, to discontinue or change specifications, designs, features, models, or equipment without incurring obligation.

\*\*Not all tracks can be installed on all sleds without modification. The listings in the application chart fit OEM suspension, track width, length, and drive pitch only. To determine if an optional track is compatible with a particular snowmobile, you must check the bulkhead, tunnel, heat exchanger, and suspension wheel positioning for proper clearance.

\*\*\*See your dealer for installation procedures.

Snowmobile Make & Model	Year(s)	Width	Length	Pitch	Application Notes	Replacement
<b>Polaris</b>	<b>Year(s)</b>	<b>in.</b>	<b>in.</b>	<b>in.</b>		
340 & 340 LX	07-08	15	121	2.52		
340 Touring	04-07	15	136	2.52		
340 Touring	99-03	15	133.5	2.52	use 136 track - modifications required	
below						
550 LX	07-08	15	121	2.52		
550 IQ Shift	09	15	121	2.52		
600 Dragon IQ (including SP)	08-09	15	121	2.52	08-09 Rip Saw	
600 HO IQ (inc. CFI)	07-08	15	121	2.52	08 Hack Saw	
suspension)	07-08	15	128	2.52	07-08 Hack Saw	
600 HO IQ Touring	07	15	136	2.52	09 Hack Saw	
600 IQ	09	15	121	2.52	09 HackSaw	
600 IQ Shift (see also IQ Shift below)	09	15	121	2.52		
600 IQ Shift 136	09	15	136	2.52	09 Hack Saw	
600 IQ Touring	08-09	15	136	2.52	08 Hack Saw	
600 RMK - see RMK below						
600 RR (racer replica)	08	15	121	2.52	08 Rip Saw	
700 Dragon IQ	08	15	121	2.52	08 Rip Saw	
700 IQ	08	15	121	2.52	08 Hack Saw	
700 RMK - see RMK below						
800 Assault RMK 146	09	15	146	2.86		
800 Dragon IQ (including SP)	08-09	15	121	2.52	08-09 Rip Saw	
800 IQ (inc. ES)	09	15	121	2.52	09 Hack Saw	



Snowmobile Make & Model	Year(s)	Width	Length	Pitch	Application Notes	Replacement
<b>Polaris</b>	<b>Year(s)</b>	<b>in.</b>	<b>in.</b>	<b>in.</b>		
800 LE	01	15	121	2.52		
800 RMK - see RMK below						
above						
susp.)	93-06	15	121	2.52		
Classic 700 (M-10 suspension)	06	15	128	2.52		
Classic 500	92	15	133.5	2.52	use 136 track - modifications required	
Classic 500	90-91	15	121	2.52		
Classic Touring 500, 600 & 800	93-03	15	133.5	2.52	use 136 track - modifications required	
Classic Touring 700	03	15	136	2.52		
Dragon 700	07	15	121	2.52	07 Rip Saw	
Dragon RMK 700	07	15	155	2.86	#9104M (new)	9104M
below						
Edge Touring (all)	04-05	15	136	2.52		
Frontier Classic	03-04	15	121	2.52		
Frontier Touring	03-05	15	136	2.52		
FS Classic (M-10 suspension)	06	15	128	2.52		
FS IQ Touring	06-09	15	136	2.52	08-09 Hack Saw	
FST Classic (M-10 suspension)	06	15	128	2.52		
FST IQ	07	15	121	2.52	07 Rip Saw	
FST IQ Cruiser (see also IQ Cruiser)	07	15	136	2.52		
FST IQ LX (M-10 suspension)	07	15	128	2.52	07 Hack Saw	
FST IQ Touring	06-09	15	136	2.52	08-09 Hack Saw	
Fusion (all)	05-06	15	121	2.52		
Indy 340 (inc. Deluxe)	99-04	15	121	2.52		
Indy 400	90-91	15	121	2.52		
Indy 440	92-98	15	121	2.52		
Indy 440 SKS	93-95	15	133.5	2.52	use 136 track - modifications required	
Indy 500 (inc. EFI & SP)	90-06	15	121	2.52		
Indy 500 SKS (inc. EFI)	90-96	15	133.5	2.52	use 136 track - modifications required	
Indy 650	90-92	15	121	2.52		



Snowmobile Make & Model	Year(s)	Width	Length	Pitch	Application Notes	Replacement
<b>Polaris</b>	<b>Year(s)</b>	<b>in.</b>	<b>in.</b>	<b>in.</b>		
Indy 650 SKS	90	15	133.5	2.52	use 136 track - modifications required	
Indy Classic - see Classic above						
Indy Lite (inc. Deluxe)	93-98	15	121	2.52		
Indy Lite (inc. Deluxe)	91-92	15	116	NA	no track available	NA
Indy Lite GT & Indy Lite Touring	91-98	15	133.5	2.52	use 136 track - modifications required	
Indy RXL - see RXL below						
Indy Sport - see Sport below						
Indy StarLite	93-95	15	121	2.52		
Indy StarLite	91-92	15	116	NA	no track available	NA
Indy StarLite GT	93-95	15	133.5	2.52	use 136 track - modifications required	
Indy Storm - see Storm below						
Indy SuperTrack	90-92	15	156	2.52		
Indy Trail - see Trail below						
Indy Widetrak - see Widetrak below						
Indy XCR - see XCR below						
Indy XLT - see XLT below						
above						
IQ Cruiser (see also FST IQ Cruiser)	08	15	136	2.52	08 Hack Saw	
above)	08	15	121	2.52		
IQ Turbo Dragon	08-09	15	121	2.52	08-09 Rip Saw	
IQ Turbo LX (M-10 suspension)	08	15	128	2.52	08 Hack Saw	
Pro X (all except 120)	03-04	15	121	2.52		
Pro X2 (all)	04	15	121	2.52		
Pro XR 800	04	14	121	2.52		
RMK 500 (inc. EFI)	96-99	15	133.5	2.52	use 136 track - modifications required	
RMK 500, 600, 700 & 800 / 136	00-02	15	136	2.52		
RMK 600 & 700	97-99	15	136	2.52		
800 / 144	01-09	15	144	2.52		
155	07-09	15	155	2.86	#9104M (new)	9104M
RMK 700 (inc. Dragon & ES) / 155	08-09	15	155	2.86	#9104M (new)	9104M



Snowmobile Make & Model	Year(s)	Width	Length	Pitch	Application Notes	Replacement
<b>Polaris</b>	<b>Year(s)</b>	<b>in.</b>	<b>in.</b>	<b>in.</b>		
RMK 700, 800 & 900 / 151	01-06	15	151	2.52		
RMK 700, 800 & 900 / 159	04-06	15	159	2.52		
RMK 700 / 163	08	15	163	2.86	#9105M (new)	9105M
RMK 800 Shift / 144	09	15	144	2.52		
RMK 800 (inc. Dragon & ES) / 155	08-09	15	155	2.86	#9104M (new)	9104M
RMK 800 / 156	02	15	156	2.52	# 9808M Challenger	
RMK 800 (inc. Dragon & ES) / 163	08-09	15	163	2.86	#9105M (new)	9105M
RMK 900 / 166	05-06	15	166	2.52		
above						
RMK Shift - see RMK 600 above						
RMK Storm - see Storm RMK						
RMK Trail - see Trail RMK						
RMK XLT - see XLT RMK						
RMK Ultra - see Ultra RMK						
RR - see 600 RR above						
RXL	98	15	121	2.52		
RXL	94-95	15	133.5	2.52	use 136 track - modifications required	
RXL	90-93	15	121	2.52		
RXL SKS	91-93	15	133.5	2.52	use 136 track - modifications required	
Shift - see IQ Shift above						
SKS (all)	03	15	144	2.52		
SKS (all)	99-02	15	136	2.52		
SKS 500	96-97	15	133.5	2.52	use 136 track - modifications required	
SKS 700	97	15	136	2.52		
Sport	90-99	15	121	2.52		
Sport GT	90-92	15	141	2.52		
Sport SKS	94-95	15	133.5	2.52	use 136 track - modifications required	
Sport Touring (all)	00-04	15	136	2.52		
Sport Touring (all)	96-99	15	133.5	2.52	use 136 track - modifications required	
Sprint (inc. ES)	86-90	15	108	2.52	no track available	NA



Snowmobile Make & Model	Year(s)	Width	Length	Pitch	Application Notes	Replacement
<b>Polaris</b>	<b>Year(s)</b>	<b>in.</b>	<b>in.</b>	<b>in.</b>		
Star	86-90	15	108	2.52	no track available	NA
StarLite - see Indy StarLite above						
StarTrak	90	15	133.5	2.52	use 136 track - modifications required	
Storm (inc. LE)	93-98	15	121	2.52		
Storm RMK	96-97	15	133.5	2.52	use 136 track - modifications required	
Storm SKS	93-96	15	133.5	2.52	use 136 track - modifications required	
Super Sport (all)	94-08	15	121	2.52		
Switchback (all inc. Dragon & Turbo)	08-09	15	136	2.52	08-09 Rip Saw	
Switchback (all)	04-07	15	144	2.52		
Touring 600 & 700	06	15	136	2.52		
Trail	90-99	15	121	2.52		
Trail Deluxe	90-93	15	133.5	2.52	use 136 track - modifications required	
Trail RMK (all including ES & Fleet)	99-09	15	136	2.52		
Trail RMK	97-98	15	133.5	2.52	use 136 track - modifications required	
Trail Touring (inc. Deluxe & Fleet)	04-09	15	136	2.52	09 Hack Saw	
Trail Touring (inc. Trail Deluxe)	94-03	15	133.5	2.52	use 136 track - modifications required	
TranSport (all)	08-09	15	136	2.52		
TranSport	96-99	15	141	2.52		
Triumph	00	15	121	2.52		
above						
Ultra (inc. SP, SPX & SPX SE)	96-98	15	121	2.52		
Ultra RMK	96	15	133.5	2.52	use 136 track - modifications required	
Ultra SKS	96	15	133.5	2.52	use 136 track - modifications required	
Ultra Touring	97-98	15	133.5	2.52	use 136 track - modifications required	
Vertical Escape	03	15	159	2.52		
WideTrak GT	94-97	20	141	2.52		
WideTrak IQ	09	20	156	2.52		
WideTrak LX	94-09	20	156	2.52		
WideTrak	90-93	20	156	2.52		
XC (all)	97-03	15	121	2.52		



Snowmobile Make & Model	Year(s)	Width	Length	Pitch	Application Notes	Replacement
<b>Polaris</b>	<b>Year(s)</b>	<b>in.</b>	<b>in.</b>	<b>in.</b>		
XC SP (all except 120)	99-07	15	121	2.52		
XCF	97-02	15	121	2.52		
XCR (all except 120)	92-03	15	121	2.52		
XLT (inc. Classic, Special & Limited)	93-99	15	121	2.52		
XLT RMK	96-97	15	133.5	2.52	use 136 track - modifications required	
XLT SKS	93-97	15	133.5	2.52	use 136 track - modifications required	
XLT Touring	96-99	15	133.5	2.52	use 136 track - modifications required	